

AQUAFOAM

P550.0803

WBM Drilling

Product Description

AQUAFOAM™ is a superior foaming agent for rotary air and percussion drilling for water wells and pilot holes.

Features and Benefits

AQUAFOAM™ produces stiff, stable foam with consistent bubble size and uniformity. AQUAFOAM™ improves the carrying capacity of air and reduces air volume and pressure requirements. AQUAFOAM™ increases penetration rates and extends bit life by lowering the hydrostatic pressure and providing efficient hole cleaning.

International Shipping References

Transportation of AQUAFOAM™ is not restricted by any regulatory agency.

Safe Handling Recommendations

Utilize normal precautions for employee protection when handling chemical products. Utilize appropriate respirator, gloves, goggles and apron. Refer to the Material Safety Data Sheet (MSDS) for this product prior to use.

Typical Physical Properties

- Physical State: Liquid
- Max Temperature: 250
- Reservoir Compatible: Non-Reservoir
- Category: Foaming Agents
- Sub Category: Surfactant
- Product Tier: Premium
- SG value: 1.02
- Appearance: Yellow colour liquid
- pH (Neat): 7 - 10
- Specific Gravity (25 °C): 1.01 - 1.03

Product Function

AQUAFOAM™ may be added to fresh or brackish water and where hard water is expected, pretreatment with soda ash is recommended.

Recommended Treatment

Treatment levels for AQUAFOAM™ are normally in the range of 0.5–1.0% by volume. Actual concentrations required will be dependent upon the make-up of the fluid to be aerated, foam generating equipment and drilling conditions.

Standard Packing

AQUAFOAM™ is packaged in 55 USG (208 liters) HDPE drum containing 210 kgs net weight.

+971 2 610 7000

info@ppc.ae | www.ppc.ae

Abu Dhabi | UAE



DRILLING FLUIDS SOLUTIONS
A MAZRAI ENERGY SERVICES COMPANY

Petrochem Performance Chemicals Limited LLC believes in good faith that the information presented in this bulletin is accurate and reliable. No other representation or warranties are given or made in relation to the information or the products of whatsoever nature, and Petrochem Performance Chemicals Limited LLC assumes no responsibility for advice or recommendations made herein or any other information disseminated concerning this product. Petrochem Performance Chemicals Limited LLC will replace or issue credit for the purchase price of any product determined to be defective at delivery. Under no circumstances shall Petrochem Performance Chemicals Limited LLC or its responsible personnel be liable for any special or consequential damages whatsoever.