

BARITE 4.2 (API)

P1501.9306

WBM/OBM Drilling

Product Description

BARITE (API) (Barium Sulphate) is utilized as a weighting agent in drilling fluids which meets API Specification 13A:2004 / ISO 13500:1998 Section 7.

Features and Benefits

BARITE (API) is chemically inert to all drilling fluid additives. BARITE (API) is ground to such a particle size that a minimum of 97% will pass through a 200 mesh screen and a maximum of 25% will be less than 6 microns at a specific gravity of 4.20.

International Shipping References

Transportation of BARITE (API) is not restricted by any regulatory agency.

Safe Handling Recommendations

Utilize normal precautions for employee protection when handling chemical products. Utilize appropriate respirator, gloves, goggles and apron. Refer to the Material Safety Data Sheet (MSDS) for this product prior to use.

Typical Physical Properties

- Physical State: Solid
- Max Temperature: 600
- Reservoir Compatible: Non-Reservoir
- Category: Weighting Agents
- Sub Category: High Gravity Solids
- Product Tier: Regular
- SG value: 4.2
- Appearance: Gray to tan coloured powder
- Specific Gravity: 4.2 min

Product Function

BARITE (API) is a cost effective means of increasing and/or maintaining drilling fluid density. BARITE (API) is used to weight up mud system up to 21.0 ppg (SG 2.52).

Recommended Treatment

MUD PER BBL Barite required = $1470 (W2 - W1) \text{ lb} / (35 - W2)$ MUD PER M3 Material required = $4200 (SG2 - SG1) \text{ kg} / (4.2 - SG2)$ Where :
W1 = Initial mud density (lb/gal) W2 = Desired mud density (lb/gal) SG1 = Initial mud specific gravity SG2 = Desired mud specific gravity

Standard Packing

BARITE (API) is packaged in 25 kgs multiwall paper sack, 1 or 1.5 MT big bag.

+971 2 610 7000

info@ppc.ae | www.ppc.ae

Abu Dhabi | UAE



DRILLING FLUIDS SOLUTIONS
A MAZRAI ENERGY SERVICES COMPANY

Petrochem Performance Chemicals Limited LLC believes in good faith that the information presented in this bulletin is accurate and reliable. No other representation or warranties are given or made in relation to the information or the products of whatsoever nature, and Petrochem Performance Chemicals Limited LLC assumes no responsibility for advice or recommendations made herein or any other information disseminated concerning this product. Petrochem Performance Chemicals Limited LLC will replace or issue credit for the purchase price of any product determined to be defective at delivery. Under no circumstances shall Petrochem Performance Chemicals Limited LLC or its responsible personnel be liable for any special or consequential damages whatsoever.