

DME

P1303.9304

WBM Drilling

Product Description

DME™ is a concentrated aqueous solution of a non-ionic surfactant used to emulsify oil in water base drilling fluids.

Features and Benefits

DME™ is utilized to emulsify any oil that is added or enters a water base drilling fluid during normal operations. DME™ facilitates the formation of a tight emulsion in all water base drilling fluids. DME™ is compatible with all water base drilling fluid additives and is not susceptible to salt or cement contamination. DME™ effectively reduces high temperature filtration and rheological characteristics. DME™ exhibits thermal stability in excess of 400°F. DME™ reduces bit balling and the potential for differential sticking.

International Shipping References

Transportation of DME™ is not restricted by any regulatory agency.

Safe Handling Recommendations

Utilize normal precautions for employee protection when handling chemical products. Utilize appropriate respirator, gloves, goggles and apron. Refer to the Material Safety Data Sheet (MSDS) for this product prior to use.

Typical Physical Properties

- Physical State: Liquid
- Max Temperature: 300
- Reservoir Compatible: Non-Reservoir
- Category: Spotting Fluids
- Sub Category: Non-Ionic Surfactant
- Product Tier: Regular
- SG value: 1.03
- Appearance: Clear to light yellow liquid
- Specific Gravity (25 °C): 1.02 - 1.04
- Flash Point: >75 °C

Product Function

DME™ assists in the formation of tight, stable oil in water emulsion in all water base drilling fluids.

Recommended Treatment

The concentration of DME™ required to emulsify oil in the drilling fluid will be dependent upon the oil content, as determined by retort analysis. The normal treatment range is usually 0.5–1.0% by volume.

Standard Packing

DME™ is packaged in 55 USG (208 liters) HPDE drum containing 205 kgs net weight.

+971 2 610 7000

info@ppc.ae | www.ppc.ae

Abu Dhabi | UAE



DRILLING FLUIDS SOLUTIONS
A MAZRAI ENERGY SERVICES COMPANY

Petrochem Performance Chemicals Limited LLC believes in good faith that the information presented in this bulletin is accurate and reliable. No other representation or warranties are given or made in relation to the information or the products of whatsoever nature, and Petrochem Performance Chemicals Limited LLC assumes no responsibility for advice or recommendations made herein or any other information disseminated concerning this product. Petrochem Performance Chemicals Limited LLC will replace or issue credit for the purchase price of any product determined to be defective at delivery. Under no circumstances shall Petrochem Performance Chemicals Limited LLC or its responsible personnel be liable for any special or consequential damages whatsoever.