

HEC

P1403.9305

WBM Drilling

Product Description

HEC is nonionic high molecular weight hydroxyethyl cellulose designed specifically to viscosify water base fluids.

Features and Benefits

HEC is non-damaging and effective as a viscosifier to 100 °C (212 °F). HEC is tolerant to salt contaminants and is stable over a broad pH range. HEC is shear thinning, has low gel strengths and can be mixed rapidly when preparing viscosity sweeps for cleaning large diameter surface holes.

International Shipping References

Transportation of HEC is not restricted by any regulatory agency

Safe Handling Recommendations

Utilize normal precautions for employee protection when handling chemical products. Utilize appropriate respirator, gloves, goggles and apron. Refer to the Material Safety Data Sheet (MSDS) for this product prior to use.

Typical Physical Properties

- Physical State: Solid
- Max Temperature: 280
- Reservoir Compatible: Both
- Category: Viscosifiers
- Sub Category: Polymeric
- Product Tier: Regular
- SG value: 1.33
- Appearance: Off-white free flowing powder
- pH (1% solution): 6 - 8
- Bulk Density Kg/m³: 600 - 800

Product Function

The principal use of HEC is the attainment of viscosity in drilling, completion and work over fluids. Fluids viscosified with HEC will exhibit high apparent viscosity, high yield point and low fragile gel strengths.

Recommended Treatment

Concentrations of 1.0–2.0 lbs/bbl (2.8–5.6 kgs/m³) are required to provide viscosity in circulating systems. Higher concentrations are required when utilizing high viscosity sweeps.

Standard Packing

HEC is packaged in 25 kgs multiwall paper sack.

+971 2 610 7000

info@ppc.ae | www.ppc.ae

Abu Dhabi | UAE



DRILLING FLUIDS SOLUTIONS
A MAZRAI ENERGY SERVICES COMPANY

Petrochem Performance Chemicals Limited LLC believes in good faith that the information presented in this bulletin is accurate and reliable. No other representation or warranties are given or made in relation to the information or the products of whatsoever nature, and Petrochem Performance Chemicals Limited LLC assumes no responsibility for advice or recommendations made herein or any other information disseminated concerning this product. Petrochem Performance Chemicals Limited LLC will replace or issue credit for the purchase price of any product determined to be defective at delivery. Under no circumstances shall Petrochem Performance Chemicals Limited LLC or its responsible personnel be liable for any special or consequential damages whatsoever.