

NAMBT 25

P204.9303

WBM Drilling

Product Description

NAMBT™ 25 is a liquid solution of Sodium Salt Benzothiazolethione in MEG.

Features and Benefits

International Shipping References

Transportation regulatory agencies classify NAMBT™ 25 as CORROSIVE liquid, UN 1760, class 8, Pack Group III.

Safe Handling Recommendations

Utilize normal precautions for employee protection when handling chemical products. Utilize appropriate respirator, gloves, goggles and apron. Refer to the Material Safety Data Sheet (MSDS) for this product prior to use.

Typical Physical Properties

- Physical State: Liquid
- Max Temperature: 300
- Reservoir Compatible: Both
- Category: Corrosion Inhibitors
- Sub Category:
- Product Tier: Regular
- SG value: 1.12
- Appearance: Yellow to brown liquid
- pH (Neat): 10.8 – 11.8
- Specific Gravity (25 °C): 1.10 – 1.14
- Flash Point: 120 °C

Product Function

NAMBT™ 25 is recommended as a corrosion inhibitor for water treatment units and glycol systems, providing protection against CO₂ and H₂S attack.

Recommended Treatment

Standard Packing

NAMBT™ 25 is supplied in 200 kgs net steel drum.

+971 2 610 7000

info@ppc.ae | www.ppc.ae

Abu Dhabi | UAE



DRILLING FLUIDS SOLUTIONS
A MAZRAI ENERGY SERVICES COMPANY

Petrochem Performance Chemicals Limited LLC believes in good faith that the information presented in this bulletin is accurate and reliable. No other representation or warranties are given or made in relation to the information or the products of whatsoever nature, and Petrochem Performance Chemicals Limited LLC assumes no responsibility for advice or recommendations made herein or any other information disseminated concerning this product. Petrochem Performance Chemicals Limited LLC will replace or issue credit for the purchase price of any product determined to be defective at delivery. Under no circumstances shall Petrochem Performance Chemicals Limited LLC or its responsible personnel be liable for any special or consequential damages whatsoever.