

NO-OX 65

P103.9305

WBM Drilling

Product Description

NO-OX™ 65 is ammonium bisulphite solution which acts as an oxygen scavenger in water base drilling, workover completion and packer fluids.

Features and Benefits

NO-OX™ 65 is a highly concentrated product and an effective means of controlling oxygen corrosion in water base drilling fluids. NO-OX™ 65 is fast acting and easy to use.

International Shipping References

International shipping agencies classify NO-OX™ 65 as corrosive under UN # 2693.

Safe Handling Recommendations

Utilize normal precautions for employee protection when handling chemical products. Utilize appropriate respirator, gloves, goggles and apron. Refer to the Material Safety Data Sheet (MSDS) for this product prior to use.

Typical Physical Properties

- Physical State: Solid
- Max Temperature: 250
- Reservoir Compatible: Non-Reservoir
- Category: Oxygen Scavengers
- Sub Category:
- Product Tier: Regular
- SG value: 1.4
- Appearance: Citrine pale yellow liquid
- Active Material: 65% min
- pH (Neat): 4.5 – 5.5
- Density @ 20 °C: 1.40 min

Product Function

NO-OX™ 65 removes dissolved oxygen in clear and solids laden fluids to prevent pitting type corrosion.

Recommended Treatment

NO-OX™ 65 should be added at a ratio 10: 1 based on the amount of dissolved oxygen in the system. A NO-OX 65 concentration of 10 ppm will scavenge 1.0 ppm of dissolved oxygen. Normal oxygen concentrations in sea water is 8–10 mg/l. It is recommended that in normal drilling conditions 0.005–0.01 gal/bbl (0.13–0.25 ltr/m³) of NO-OX™ 65 be added to system initially. Monitor dissolved oxygen and sulphite concentration to determine maintenance treatment.

Standard Packing

NO-OX™ 65 is packaged in 55 USG (208 liters) steel drum containing 275 kgs net weight.

+971 2 610 7000

info@ppc.ae | www.ppc.ae

Abu Dhabi | UAE



DRILLING FLUIDS SOLUTIONS
A MAZRAI ENERGY SERVICES COMPANY

Petrochem Performance Chemicals Limited LLC believes in good faith that the information presented in this bulletin is accurate and reliable. No other representation or warranties are given or made in relation to the information or the products of whatsoever nature, and Petrochem Performance Chemicals Limited LLC assumes no responsibility for advice or recommendations made herein or any other information disseminated concerning this product. Petrochem Performance Chemicals Limited LLC will replace or issue credit for the purchase price of any product determined to be defective at delivery. Under no circumstances shall Petrochem Performance Chemicals Limited LLC or its responsible personnel be liable for any special or consequential damages whatsoever.