

## POROSEAL

P821.0202

WBM/OBM Drilling

### Product Description

POROSEAL is an extruded inorganic fiber used to prevent the movement of whole drilling fluid and filtrate to porous and permeable formations.

### Features and Benefits

POROSEAL is fully acid soluble, thermally stable, non-toxic, non-combustible, non-fermenting, inorganic, non-polluting, non-corrosive and contains no asbestos. POROSEAL is easily wetted and compatible with both oil and water based muds and emulsion. POROSEAL contains a wide range of graded fibrous particles that have interlocking nature which creates a bridging effect at the well bore and a matting effect within the wall cake. POROSEAL can be utilized to sweep the hole or spotted over the thief zone when losses occur.

### International Shipping References

Transportation of POROSEAL is not restricted by any regulatory agency.

### Safe Handling Recommendations

Utilize normal precautions for employee protection when handling chemical products. Utilize appropriate respirator, gloves, goggles and apron. Refer to the Material Safety Data Sheet (MSDS) for this product prior to use.

### Typical Physical Properties

- Physical State: Solid
- Max Temperature: 350
- Reservoir Compatible: Non-Reservoir
- Category: LCM
- Sub Category: Inorganic fiber
- Product Tier: Regular
- SG value: 2.6
- Appearance: Free flowing powder
- Bulk Density g/cm<sup>3</sup>: 1.3 - 1.7

### Product Function

POROSEAL is utilized to combat lost circulation in both water and oil base drilling fluids.

### Recommended Treatment

Treatment levels for POROSEAL are dependent upon the type of losses to be cured or prevented. Concentration guidelines are as follows : Seepage control while drilling: 4 – 8 lbs/bbl Sweeping application: 15 – 30 lbs/bbl in 25 – 50bbl sweeps Lost circulation: 50 – 100 lbs/bbl

### Standard Packing

POROSEAL is packaged in 30 lbs (13.6 kgs) multiwall paper sack.

+971 2 610 7000

info@ppc.ae | www.ppc.ae

Abu Dhabi | UAE



DRILLING FLUIDS SOLUTIONS  
A MAZRAI ENERGY SERVICES COMPANY

Petrochem Performance Chemicals Limited LLC believes in good faith that the information presented in this bulletin is accurate and reliable. No other representation or warranties are given or made in relation to the information or the products of whatsoever nature, and Petrochem Performance Chemicals Limited LLC assumes no responsibility for advice or recommendations made herein or any other information disseminated concerning this product. Petrochem Performance Chemicals Limited LLC will replace or issue credit for the purchase price of any product determined to be defective at delivery. Under no circumstances shall Petrochem Performance Chemicals Limited LLC or its responsible personnel be liable for any special or consequential damages whatsoever.