

SODIUM CHLORIDE L

P1653.1702

Drilling/Completion

Product Description

A clear brine fluid, sodium chloride (NaCl) solution is used as single salt brine.

Features and Benefits

SODIUM CHLORIDE L is present in densities ranging from 8.4 lb/gal to 10.0 lb/gal. Sodium chloride is chosen frequently due to its wide availability and low cost. SODIUM CHLORIDE L is used to weight up the overall density of drilling fluid. Sodium Chloride Brine is utilized to restrict shale hydration and dispersion. Sodium Chloride Brine is used as drilling fluid, completion or work over fluids to a maximum density of 10 lb/gal (1.20 SG).

International Shipping References

Transportation of SODIUM CHLORIDE L is not restricted by any regulatory agency.

Safe Handling Recommendations

Utilize normal precautions for employee protection when handling chemical products. Use of appropriate respirator, gloves, goggles and apron is recommended for employee comfort and protection. Refer to the Material Safety Data Sheet (MSDS) for this product prior to use.

Typical Physical Properties

- Physical State: Liquid
- Max Temperature: 300
- Reservoir Compatible: Both
- Category: Brines
- Sub Category: Packer Fluid
- Product Tier: Regular
- SG value: 1.2
- Appearance: Clear liquid
- pH (Neat): 6.5 - 7
- Turbidity NTU: ?15

Product Function

SODIUM CHLORIDE L has applications in water base drilling and completion fluids and in the water phase of invert emulsion drilling fluids.

Recommended Treatment

Sodium Chloride Salt can be mixed quickly through the hopper to adjust SODIUM CHLORIDE L density. As saturation is approached, add more slowly to avoid settling in the tanks. Recommended to be used as per Salt table to reach desired density.

Standard Packing

SODIUM CHLORIDE L is packaged in 1000 litres, 1200 liters HDPE IBC tote tank or in bulk as required.

+971 2 610 7000

info@ppc.ae | www.ppc.ae

Abu Dhabi | UAE



DRILLING FLUIDS SOLUTIONS
A MAZRAI ENERGY SERVICES COMPANY

Petrochem Performance Chemicals Limited LLC believes in good faith that the information presented in this bulletin is accurate and reliable. No other representation or warranties are given or made in relation to the information or the products of whatsoever nature, and Petrochem Performance Chemicals Limited LLC assumes no responsibility for advice or recommendations made herein or any other information disseminated concerning this product. Petrochem Performance Chemicals Limited LLC will replace or issue credit for the purchase price of any product determined to be defective at delivery. Under no circumstances shall Petrochem Performance Chemicals Limited LLC or its responsible personnel be liable for any special or consequential damages whatsoever.