

TRUBLOCK

P1976.1304

WBM Drilling

Product Description

TRUBLOCK is a unique co polymeric filtration control and shale sealing additive.

Features and Benefits

TRUBLOCK is a non-toxic product. TRUBLOCK provides permeability plugging to effectively seal shale's and filter cakes, improving the performance of highly inhibitive water-based drilling fluids. TRUBLOCK can plug micro pore, and prevent borehole wall from collapse. TRUBLOCK Is effective for low temperature as well as high temperature applications.

International Shipping References

Transportation of TRUBLOCK is not restricted by any regulatory agency.

Safe Handling Recommendations

Utilize normal precautions for employee protection when handling chemical products. Utilize appropriate respirator, gloves, goggles and apron. Refer to the Material Safety Data Sheet (MSDS) for this product prior to use.

Typical Physical Properties

- Physical State: Liquid
- Max Temperature: 400
- Reservoir Compatible: Non-Reservoir
- Category: Shale Stabilizers
- Sub Category:
- Product Tier: Regular
- SG value: 1
- Appearance: Milky white liquid
- Specific Gravity: 0.90 - 1.10
- pH (1% solution): 7.0 - 10.0

Product Function

TRUBLOCK is used to seal shale's and low permeability sand formations when drilling with inhibitive water-based fluids (WBM). TRUBLOCK is also used to provide supplemental fluid loss control in high temperature applications >400oF (>204oC). TRUBLOCK is not recommending to be used in the production/pay zone. TRUBLOCK is resistant to salt and stable under high salt content drilling fluid.

Recommended Treatment

TRUBLOCK should be added at 0.5 to 3% by volume to the mud formulation. TRUBLOCK should be Pre mixed in water and then added to the active system.

Standard Packing

TRUBLOCK is available in 55-gal (208-L) drums.

+971 2 610 7000

info@ppc.ae | www.ppc.ae

Abu Dhabi | UAE



DRILLING FLUIDS SOLUTIONS
A MAZRAI ENERGY SERVICES COMPANY

Petrochem Performance Chemicals Limited LLC believes in good faith that the information presented in this bulletin is accurate and reliable. No other representation or warranties are given or made in relation to the information or the products of whatsoever nature, and Petrochem Performance Chemicals Limited LLC assumes no responsibility for advice or recommendations made herein or any other information disseminated concerning this product. Petrochem Performance Chemicals Limited LLC will replace or issue credit for the purchase price of any product determined to be defective at delivery. Under no circumstances shall Petrochem Performance Chemicals Limited LLC or its responsible personnel be liable for any special or consequential damages whatsoever.