

TRUPAC RS

P715.9305

WBM Drilling

Product Description

TRUPAC RS is a premium grade high molecular weight polyanionic cellulose polymer which provides filtration control and viscosity to water base drilling fluids.

Features and Benefits

TRUPAC RS increases viscosity and provides fluid loss control to fresh water and salt based drilling fluids. TRUPAC RS is effective over a wide pH range and has a high tolerance to calcium contamination. TRUPAC RS has a strong affinity for clay surfaces and will restrict their hydration and dispersion. TRUPAC RS is not susceptible to bacterial degradation. TRUPAC RS has shown to be effective in field applications at bottom hole temperatures in excess of 300°F (149°C).

International Shipping References

Transportation of TRUPAC RS is not restricted by any regulatory agency.

Safe Handling Recommendations

Utilize normal precautions for employee protection when handling chemical products. Utilize appropriate respirator, gloves, goggles and apron. Refer to the Material Safety Data Sheet (MSDS) for this product prior to use.

Typical Physical Properties

- Physical State: Solid
- Max Temperature: 300
- Reservoir Compatible: Non-Reservoir
- Category: Filtration Control
- Sub Category: Polyanionic Cellulose
- Product Tier: Regular
- SG value: 1.5

Product Function

TRUPAC RS provides superior fluid loss control and viscosity in most water based drilling mud system.

Recommended Treatment

TRUPAC RS concentrations in the range of 0.25–2.0 lbs/bbl (0.7–5.7 kgs/m³) are required to control mud properties. The concentration used will be dependent upon fluid make up and the viscosity increase required.

Standard Packing

TRUPAC RS is packaged in 25 kgs multiwall paper sack.

+971 2 610 7000

info@ppc.ae | www.ppc.ae

Abu Dhabi | UAE



DRILLING FLUIDS SOLUTIONS
A MAZRAI ENERGY SERVICES COMPANY

Petrochem Performance Chemicals Limited LLC believes in good faith that the information presented in this bulletin is accurate and reliable. No other representation or warranties are given or made in relation to the information or the products of whatsoever nature, and Petrochem Performance Chemicals Limited LLC assumes no responsibility for advice or recommendations made herein or any other information disseminated concerning this product. Petrochem Performance Chemicals Limited LLC will replace or issue credit for the purchase price of any product determined to be defective at delivery. Under no circumstances shall Petrochem Performance Chemicals Limited LLC or its responsible personnel be liable for any special or consequential damages whatsoever.